



Corel[®]
WordPerfect[®] 2020
Deployment Guide

Introduction

Welcome! This guide is intended to support you, the administrator, in deploying WordPerfect Office 2020 to your network.

Contents	Stage 1: Preparing for deployment	2
	Stage 2: Copying the DVD or extracting the ISO to the server .	6
	Stage 3: Installing the software	7
	Stage 4: Maintaining the installations	17
	Appendix: Specialized deployment scenarios	24
	Deploying Paradox	35

Conventions Please note the following conventions used in this guide.

Wherever you see this	You'll find
<i>italicized text</i>	A placeholder for user-specified information, such as a path or filename
bold monospace text	A reference to programming syntax

For more information The following resources offer additional support.

For information on	See the following resource
deploying Corel® software: concepts & processes, general advice & best practices	Corel's Guide to Network Deployment
Corel Corporation, or a specific Corel software product	Corel® website: https://www.corel.com
support for Corel software	Corel® Support Services website: https://www.corel.com/support
the Microsoft® Windows® Installer (MSI) technology, which is used to install Corel software	Microsoft® website

Stage 1: Preparing for deployment

Highlights:

- Server requirements 2
- Workstation requirements . . . 3

Before beginning the deployment, take the time to familiarize yourself with your network and the software you want to deploy to it. Doing so can help your administrative duties run as smoothly as possible.

In this stage	Getting to know your network	2
	Getting to know the software	2
	Setting up your network accordingly	4

Getting to know your network

Make sure to consider your network requirements for the deployment.

- Administrative factors** Does your organization (or do you, as administrator) have any particular requirements for deploying and maintaining software?
- Server factors** Does your server have any special characteristics or constraints?
- Workstation factors** Do your workstations have any special characteristics or constraints?
- User factors** Do your workstation users have any special workflows?

Getting to know the software

Make sure that your server and workstations are eligible for the software. If your organization uses a document-management system (DMS), make sure that it is supported by the software.

- Server requirements** You can copy or extract WordPerfect Office 2020 to a server that meets the following requirements:
 - Operating system with the latest service pack and critical updates: Windows Server® 2016 (Server with Desktop Experience), Windows Server 2012 R2, Windows Server 2012, Windows Server 2008 R2
 - 1.5 GB of server space (for a typical installation without extra content)



Remote Desktop Services are supported on the server operating systems listed above.

For details on server permissions, see “Server setup” on page 4.

Workstation requirements

You can install WordPerfect Office 2020 on workstations that meet the following minimum system requirements:

- Windows® 10, Windows 8.1, Windows 7 SP1 (32-bit or 64-bit version) with latest updates and service packs
- WordPerfect Office 2020 supports Windows 10, version 1909 and later versions which might be released during the lifecycle of WordPerfect Office 2020.
- 1 GHz or faster (x86) or AMD64 processor
- 1 GB of RAM (x86); 2 GB of RAM (AMD64)
- 2.75 GB of hard-disk space for application files (Paradox, if included, requires an additional 215 MB of hard-disk space.)
- Mouse or tablet
- 1024 × 768 monitor resolution
- DVD drive (required for box installation)
- Microsoft® Internet Explorer® 11 or later

Some features also require Microsoft® Outlook®.

For details on workstation permissions, see “Workstation setup” on page 4.

DMS requirements

WordPerfect Office 2020 offers support for the WordPerfect® Office (WPD, WPT, WP, QPW) formats on the following document-management systems:

- Microsoft® SharePoint® Server 2013
- Microsoft SharePoint Server 2010
- Microsoft SharePoint Server 2007 with SP1
- SharePoint Portal Server 2003

For details on SharePoint setup, see “SharePoint setup” on page 4.



Open Document Management API (ODMA) is a standard managed by the Association for Information and Image Management (AIIM). WordPerfect supports using ODMA to integrate with a document management system (DMS), allowing it to control the Open and Save dialog boxes. You can also suppress the dialog box that prompts users for a password and choose a file-type. For more information, see “Suppressing ODMA password and file-type dialog boxes on Save As” on page 31.

For more information

For important notes on installing and using the software, it’s a good idea to review the Readme file for the software.

To access the Readme file on the installation disc

- Run the following command line (where **X:** is the disc drive):

```
X:\ReadMe.htm
```

Setting up your network accordingly

After familiarizing yourself with your network and the software you want to deploy to it, you can set up your network accordingly.

Server setup

Do the following:

- Make sure that you are either a local administrator or an administrator for the domains and workgroups that you are managing.
- Create a shared network location for the media you are copying or extracting to the server, and make sure that you have read/write access to that location.

If you want to make extra content (such as clipart and videos) available to workstation users, do the following:

- Set up a shared network location, and make sure that users have access to that location.
- Use the program DVD to install or copy the content to the shared location.

Workstation setup

Do the following:

- Make sure that you are — and anyone else who will be installing the software is — either a local administrator or an administrator for the domains and workgroups that you are managing.
- Make sure that you have — and anyone else who will be installing the software has — read access to the location where you copied or extracted media.

SharePoint setup

WordPerfect Office IFilter is installed automatically when you install WordPerfect Office 2020. If you want WordPerfect Office IFilter as a standalone application, you can download it from [here](#). To speed searches, install WordPerfect Office IFilter on all servers that will be hosting WordPerfect files. Detailed instructions on installing WordPerfect Office IFilter on Microsoft SharePoint 2013, Microsoft SharePoint 2010, and Microsoft SharePoint 2007 servers are available on <https://officecommunity.com>.

Step 1: Check your security settings

WordPerfect supports the SharePoint features for Windows Security. Be sure to configure the local domain to allow password authentication for your SharePoint server, which requires Hypertext Transfer Protocol over Secure Socket Layer (HTTPS/SSL) security.

Step 2: Install WordPerfect Office IFilter & SharePoint Resources

On your SharePoint server, run the appropriate WordPerfect Office IFilter executable file, which you can download from [here](#). The setup installs the WordPerfect Office IFilter (for detecting and indexing stored WordPerfect documents), along with various other enhancements. Detailed installation instructions are available on <https://officecommunity.com>.

Step 3: Deploy SharePoint support

Workstations automatically receive SharePoint integration (and the WordPerfect Office IFilter) when WordPerfect Office 2020 is installed.

If desired, you can deploy the following customized settings:

- disabling of WordPerfect toggle for displaying files in Internet Explorer:
Use the **WPDVIEWLOCK** public property (see “WPDVIEWLOCK” on page 15).
- home page for the **Open File** dialog box:
Use the **HomePageURL** registry key (see “Open File home page” on page 31).

To extend the SharePoint functions of WordPerfect — for example, to automate multiple check-ins, multiple check-outs, or file-comparison reports — you can use PerfectScript™ macros. The following commands (fully detailed in the installed Macro Help file, `psh.chm`) will be of interest.

To do the following	Use the following commands
Directly access the document-management engine directly, bypassing its UI	DocMgmtCheckin DocMgmtCheckout DocSetWorkingFolder DocMgmtUndoCheckout
Access the document-management UI	DocMgmtCheckinDlg DocMgmtCheckoutDlg DocMgmtDocHistoryDlg DocMgmtDocPropertiesDlg DocMgmtUndoCheckoutDlg DocMgmtVersionCompareDlg
Specify command arguments (macro-specific values)	DocMgmtGetResultCode DocMgmtGetResultDesc DocMgmtSetArg
Specify document properties	DocPropertyGetCount DocPropertyGetName DocPropertyGetType DocPropertyGetValue DocPropertyRemove DocPropertyRemoveAll DocPropertySet

Stage 2: Copying the DVD or extracting the ISO to the server

After preparing for deployment, you're ready to copy (DVD) or extract (ISO) media to the server.

You can modify certain aspects of the media you copied or extracted to the server or its setup. If you want to support multiple installation types, you can create multiple versions of the media you copied or extracted to the server.

Finalizing media on the server

This section describes recommended steps to take before deploying from the media copied to the server.



Optionally, you can finalize the media you copied or extracted to the server in the following ways:

- Customize the registry settings you want to deploy (see page 30).

Applying patches To avoid deploying the software twice, you may want to check for software updates and apply them as necessary. For details, see page 19.

Configuring BDE For WordPerfect and Quattro Pro® to function properly, you must ensure that the network folder settings for the Borland® Database Engine (BDE) point to a folder for which all users have write and delete permissions.

To adjust the Borland Database Engine

- 1 Log on to the server console as an administrator.
- 2 From the Windows Control Panel, open the BDE Administrator.
- 3 Click the **Configuration** tab.
- 4 Expand the **Configuration** tree, and navigate to the following:
Drivers\Native\PARADOX
- 5 In the right pane, click the field to the right of the **NET DIR** entry.
- 6 Click **...**, and browse to the location of the desired network folder.
All users must have write and delete permissions for this folder.
- 7 Click **Object** ▶ **Apply**.
- 8 Click **OK** to confirm the save, and then click **OK** again when you are prompted to restart all Borland Database Engine applications.

Testing You may want to test on a small subset of workstations before rolling it out to your entire organization.

Stage 3: Installing the software

Highlights:

Using switches 9

Using public properties . . . 10

After copying the contents of the DVD or extracting the ISO to the server, you can use it to install the software on the workstations in one of two ways:

- manually, by having users “pull” the software to their own workstations
- automatically, by “pushing” the software to the workstations on their users’ behalf

In this stage Pulling the software 7
Pushing the software 8

Pulling the software

If users have both access to the server and administrator-level rights to their workstations, they can install (or “pull”) the software themselves. To do this, they run the setup from the media you copied or extracted to the server.

In this section Preparing for pull installation 7
Carrying out a pull installation 7

Preparing for pull installation

To ensure that the pull-installation process runs as smoothly as possible, take the time to prepare for it.

- Requirements**
- Confirm that each workstation meets the minimum requirements for the software (see “Workstation requirements” on page 3).
 - Confirm that each workstation user has read-only access to the media you copied or extracted to the server and administrator-level access to the workstation (see also “Workstation setup” on page 4).

- Recommendations**
- Map the workstations to the media you copied or extracted to the server, and set the workstations to log in to that server location at startup. Doing so ensures that users are always connected this content.
 - Confirm that all workstations are running the latest version of Microsoft Windows Installer. Doing so simplifies the installation process.

Carrying out a pull installation

Users pull the software to their workstations by running the setup from the media you copied or extracted to the server.



The degree of user interaction required by the setup depends on how you've customized the media you copied or extracted to the server and the deployment process.



If you prefer to restrict user customization, you may want to offer multiple versions of the media you copied or extracted to the server — one per set of installation options.

To pull the software to a workstation

- 1 Browse to the location of the media you copied or extracted to the server, and double-click **Setup.exe**.
- 2 Carry out the installation, specifying any desired options, by following the on-screen instructions.



For best results, limit the installation path to 70 characters.

Pushing the software

To “push” the software from the media you copied or extracted to the server to the workstations, you must write a command line that includes the following:

- the filename of the setup you want to use
- any desired switches, to control how the setup runs
- any desired public properties, to specify installation settings

Using this command line, you can install the software on the workstations by using any supported push method.

In this section	Specifying the setup file	8
	Using switches	9
	Using public properties	10
	Running your command line	15

Specifying the setup file

The most important item to specify in your command line is the executable file for the setup: the **Setup.exe** file on the server you want to use:

`\\server\path\Setup.exe`



If your path contains spaces, you must place quotation marks around it:

`"\\server\path containing spaces\Setup.exe"`



If your network requires deployment via **msiexec.exe** instead of **Setup.exe**, see page 33.

Using switches

By using switches in your command line, you can control the setup process. Listed in this section are the switches most commonly used when installing the software.

For a list of all command-line switches for Microsoft Windows Installer, please see the [Microsoft website](#).

/l Event logging

Use **/l** to log installation events.

Parameter	What it logs
i	Status messages
w	Nonfatal warnings
e	All error messages
a	Initiated actions
r	Action-specific records
u	User requests
m	Error messages for out-of-memory warnings or fatal exits
o	Error messages for insufficient hard-disk space during server installation
p	Terminal properties
*	All of the above, in a single log file NOTE: Alternatively to /l* , you can use /log .
v	Very detailed information

The default parameters for **/l** are **iwearmo** (`/liwearmo "c:\install Logs.txt"`).

If you want to specify a path for the log file, use the following syntax:

```
/l "path"
```



If you do not specify a path and filename, the log file is created in the current user's temporary (**Temp**) folder.

In the following example, the **/l** switch (with default parameters) is used to log installation events in the specified file:

```
\\server\path\Setup.exe /l "C:\install.txt"
```

/q Limited setup UI

Use **/q** to limit the amount of setup UI encountered during installation.



You can use **/q** to prevent users from entering their own registration information, to help enforce specific installation options, or even to perform silent installations (in which no setup UI is visible whatsoever).

Parameter	What the user sees during installation
n	No UI whatsoever. Errors are logged in a file that you can control by using /l (see page 9). This is the default parameter. NOTE: Alternatively to /qn , you can use /quiet .
b	Basic UI: a progress bar and a Cancel button. If the user pushes the Cancel button, the installation is rolled back upon confirmation. NOTE: Alternatively to /qb , you can use /passive .
b!	Basic UI: only a progress bar. The user cannot cancel the installation.
b+	Basic UI: a progress bar and a Cancel button. If the user pushes the Cancel button, the installation is rolled back (without first prompting for confirmation).
r	Reduced UI: A progress bar, along with a page containing information about the installation. The user can cancel the installation.
f	Full UI

The default parameter for **/q** is **n**.

In the following example, all setup UI is suppressed, and any errors are recorded in the specified log file:

```
\\server\path\Setup.exe /q /l "C:\Logs\My_Log.txt"
```

/? Help

The **/?** switch (or **/help**) displays Help for the setup.

Using public properties

By using public properties in your command line, you can specify installation settings. Listed alphabetically in this section are the properties most commonly used during software installation.

For a list of all command-line properties for Microsoft Windows Installer, please see the [Microsoft website](#).

ADDLOCAL Installing specific components

For details on this scenario, see the following topics in the appendix:

- “Deploying specific features” on page 24

ASSOCIATE_DOC_FILES Associate DOC files with WordPerfect

You can associate all Microsoft® Word (DOC and DOCX) files with WordPerfect by using the following property:

ASSOCIATE_DOC_FILES=1

ASSOCIATE_PPT_FILES Associate PPT files with Presentations

You can associate all Microsoft® PowerPoint® (PPT and PPTX) files with Presentations by using the following property:

ASSOCIATE_PPT_FILES=1

ASSOCIATE_XLS_FILES Associate XLS files with Quattro Pro

You can associate all Microsoft® Excel® (XLS and XLSX) files with QuattroPro by using the following property:

ASSOCIATE_XLS_FILES=1

DESKTOPSHORTCUTS Opting out of desktop shortcuts

You can prevent the installation of desktop shortcuts by using the following property:

DESKTOPSHORTCUTS=0

FORCENOSHOWLIC Suppressing the EULA prompt

If the software is installed silently (see page 9), each workstation user will be prompted to accept the End-User License Agreement (EULA) at first start-up. To suppress the EULA prompt on the workstations, use the following property:

FORCENOSHOWLIC=1



If you choose to suppress the EULA prompt on the workstations, you are accepting the terms of the EULA on behalf of your organization and all users. Deployed installations will not prompt users to review the license agreement.

INSTALL_APP Installing only specified programs

By default, WordPerfect Office 2020 installs WordPerfect, Quattro Pro, and Presentations™. To install only one (or two) of these programs, use the **INSTALL_APP** property with one of the following values (or two comma-separated values).

Value	What it installs
presentations	Presentations
quattropro	Quattro Pro
wordperfect	WordPerfect

In the following example, only WordPerfect is installed:

```
Setup.exe INSTALL_APP=wordperfect
```

In the following example, only WordPerfect and Quattro Pro are installed:

```
Setup.exe INSTALL_APP=wordperfect,quattropro
```



You can also install specific program features. For details, see page 24.

INSTALLDIR Customizing the installation path

When deploying from the media you copied or extracted to the server, use the following public property to customize the installation path of the software:

```
INSTALLDIR="C:\Directory one\Directory two"
```



For best results, do not end the path with a backslash (\).

INSTALL_IFILTER Managing IFilter installation

You can prevent the installation of the WordPerfect Office IFilter by using the following property:

```
INSTALL_IFILTER=0
```

MIGRATE_PRODUCT Migrating user settings during upgrade

When upgrading from a previous version of WordPerfect Office, you can use the **MIGRATE_PRODUCT** property to migrate user settings. For more information, see “Upgrading to WordPerfect Office 2020” on page 13.

REBOOT Handling reboots

The **REBOOT** property is used with one of the following values to specify how the installation process handles any required reboots.

Value	What it does
Force (or F)	Prompts for reboot after installation. If the setup UI is suppressed, the computer is automatically rebooted after installation. NOTE: Alternatively to REBOOT=Force , you can use the /forcerestart switch.
Suppress (or S)	Prompts for reboot during installation (if required), but reboots automatically after installation. If the setup UI is suppressed, all required reboots are automatic. NOTE: Alternatively to REBOOT=Suppress , you can use the /promptrestart switch.

Value	What it does
ReallySuppress (or R)	Suppresses all reboots and all reboot prompts, both during and after installation. NOTE: Alternatively to REBOOT=ReallySuppress , you can use the /norestart switch.

SERIAL NUMBER Inputting your serial number

To input your assigned serial number, use the following property:

SERIALNUMBER=serial number

You must type the serial number without any spaces.

SPLITTABLEROWS Splitting table rows

By default, WordPerfect disables the setting for splitting table rows across pages (Table ▶ Format ▶ Row ▶ Divide row across pages) — in part, to ensure that footnotes can be added within tables. To enable this setting on the workstations, use the following property:

SPLITTABLEROWS=1



Enabling this setting corresponds to writing the registry key **WPTablesSpanRows**, while disabling it corresponds to writing **WPTablesSpanRows_defaultOff**. See page 30 for details on registry keys.

UPGRADE_PRODUCT and UPGRADE_PRODUCT_DEFAULT

Upgrading to WordPerfect Office 2020

To upgrade to WordPerfect Office 2020 and migrate user settings from a previous version of WordPerfect Office, you must use several public properties together.

First, you must use the following property to specify which version (or versions) of WordPerfect Office to search for:

UPGRADE_PRODUCT=value

The **UPGRADE_PRODUCT** property is used with one (or more) of the following (comma-separated) values:

Value	What it searches for
All	Any installed version of WordPerfect Office
19	WordPerfect Office X9
18	WordPerfect Office X8
17	WordPerfect Office X7
16	WordPerfect Office X6

Value	What it searches for
15	WordPerfect Office X5
14	WordPerfect Office X4
13	WordPerfect Office X3
12	WordPerfect Office 12
11	WordPerfect Office 11 NOTE: You cannot upgrade from WordPerfect Office 11 Professional without first uninstalling Paradox® (if included).
None	Nothing — upgrade feature is disabled

Next, you must use the following public property to specify whether to upgrade the previous version (or versions) of WordPerfect Office found:

UPGRADE_PRODUCT_DEFAULT=value

The **UPGRADE_PRODUCT_DEFAULT** property is used with one of the following values:

Value	What it does
On (or any other value)	Automatically upgrades all installed versions of WordPerfect Office
Off	Does not automatically upgrade any installed version of WordPerfect Office



To upgrade to WordPerfect Office 2020, you must use **UPGRADE_PRODUCT** and **UPGRADE_PRODUCT_DEFAULT** together. Using only one property causes it to be ignored altogether.

Finally, you can use the following public property to migrate user settings from a previous version of WordPerfect Office:

MIGRATE_PRODUCT=value

The **MIGRATE_PRODUCT** property is used with one of the following values:

Value	Where it migrates settings from
Latest	The latest installed version of WordPerfect Office
19	WordPerfect Office X9
18	WordPerfect Office X8
17	WordPerfect Office X7
16	WordPerfect Office X6

Value	Where it migrates settings from
15	WordPerfect Office X5
14	WordPerfect Office X4
13	WordPerfect Office X3
12	WordPerfect Office 12
11	WordPerfect Office 11
None	Nowhere — the migration feature is disabled

In the following example, all installed versions of WordPerfect Office are automatically upgraded to WordPerfect Office 2020, and user settings are migrated from the latest installed version of WordPerfect Office:

```
UPGRADE_PRODUCT=All UPGRADE_PRODUCT_DEFAULT=On
MIGRATE_PRODUCT=Latest
```

In the following example, only WordPerfect Office X8 and WordPerfect Office X9 are searched for — but they are not automatically upgraded to WordPerfect Office 2020; in addition, user settings are migrated from WordPerfect Office X8:

```
UPGRADE_PRODUCT=18,19 UPGRADE_PRODUCT_DEFAULT=Off
MIGRATE_PRODUCT=18
```

WPDVIEWLOCK Locking the display of WPD files in Internet Explorer

By default, users have access to the following WordPerfect setting: **Tools ▶ Settings ▶ Files ▶ Allow Internet Explorer to display WPD files**. To make this setting unavailable, use the following property:

```
WPDVIEWLOCK=1
```



Making this setting unavailable corresponds to writing the registry key **WPWinViewerLocked**. For details on registry keys, see page 30.

Running your command line

Your command line can be used to push the software to the workstations through any of the following:

- a **batch file** — see the Microsoft website for details
- a **GPO** — see the Group Policy SDK for details
- a **third-party push technology** — see the manufacturer's documentation for details

For many administrators, using a third-party push technology is the preferred push method. This section offers general guidelines on using a few such technologies.

SCCM At the time of this writing, Corel has verified support for Microsoft® System Center Configuration Manager (SCCM) only insofar as its Microsoft Systems Management Server (SMS) components.

For complete information on using SCCM, please see the Microsoft website.

SMS For deployment to the workstations on a “per-system” basis using package definition files (or “packages”), WordPerfect Office 2020 supports the use of Microsoft Systems Management Server (SMS).

You can create a package from scratch — or you can create one from the existing SMS file included with WordPerfect Office 2020 (in the **Administrator** folder on the installation disc or the media you copied or extracted to the server).

For complete information on using SMS files, please refer to your resource kit for Microsoft Systems Management Server.



The recommendations posted on the Microsoft website have not been tested with WordPerfect Office 2020 and must therefore be used at your discretion.

Stage 4: Maintaining the installations

An important part of administering a network is maintaining the software installed on its workstations.

In this stage	Repairing the software	17
	Modifying the software	19
	Updating the software	19
	Removing the software	21
	Troubleshooting the software	23


Repairing the software

Repairing the software lets you install (or reinstall) missing (or corrupted) components. You can repair a single installation of the software by using the Windows Control Panel on that workstation, or you can repair multiple workstation installations by using a command line.

Repairing a single installation

You can use the Windows Control Panel to repair a single installation.

To repair an installation with the Windows Control Panel

- 1 Press Windows key  + R.
- 2 In the Run dialog box, type **appwiz.cpl**, and click **OK** to open the Windows Control Panel.
- 3 In the Windows Control Panel, display the list of currently installed programs, and double-click **WordPerfect Office 2020**.
- 4 Enable the **Repair** option, click **Next**, and follow the on-screen instructions.

Repairing multiple installations

You can use a command line to repair multiple installations at a time.

/f Basic repair

Use the **/f** switch with the **Setup.exe** file from the media you copied or extracted to the server:

```
\\server\path\Setup.exe /f
```



You cannot use the **/f** switch with public properties. For greater control over the repair process, use the **REINSTALL** and **REINSTALLMODE** properties instead of **/f**.

The **/f** switch has the following parameters.

Parameter	What it does
p	Reinstalls missing files
o	Reinstalls missing files and files older than current version
e	Reinstalls missing files and files equal to or older than current version
d	Reinstalls missing files and files different from current version
a	Reinstalls all files
u	Reinstalls all required user-specific registry keys: HKEY_CURRENT_USER, HKEY_USERS
m	Reinstalls all required computer-specific registry keys: HKEY_LOCAL_MACHINE, HKEY_CLASSES_ROOT
s	Reinstalls all existing shortcuts
v	Runs from the source files and re-caches the local package

The default parameters for **/f** are **oums**.

REINSTALL and REINSTALLMODE

Advanced repair

For greater control over how the software is repaired, use the **REINSTALL** and **REINSTALLMODE** public properties together.

Property	What it does
REINSTALL=ALL	Reinstalls all program features. If you prefer to reinstall only specific features (see page 24 for a list), use the following syntax: REINSTALL=Feature
REINSTALLMODE=type	Specifies the type of reinstallation to perform. The values for this property are the same as the parameters for the /f switch, so its default values are oums .


Modifying the software

Modifying the software lets you change which program features are installed. You can modify a single installation of the software by using the Windows Control Panel on that workstation, or you can modify multiple workstation installations by using a command line.

Modifying a single installation

You can use the Windows Control Panel to modify a single installation.

To modify an installation with the Windows Control Panel

- 1 Press Windows key  + R.
- 2 In the Run dialog box, type **appwiz.cpl**, and click **OK** to open the Windows Control Panel.
- 3 In the Windows Control Panel, display the list of currently installed programs, and double-click **WordPerfect Office 2020**.
- 4 Enable the **Modify** option, click **Next**, and follow the on-screen instructions.

Modifying multiple installations

You can use a command line to modify multiple installations at a time.

REINSTALL and REINSTALLMODE

Adding features

You can use the **REINSTALL** and **REINSTALLMODE** properties to add program features. For details on these properties, see page 18.

REMOVE Removing features

You can use the **REMOVE** public property to remove a program feature:

REMOVE=Feature

For more than one feature, use a comma-separated list:

REMOVE=Feature1,Feature2

For a list of available features, see page 24.

Updating the software

Corel periodically releases Microsoft patch (MSP) files — or “patches” — for its products. Installing patches helps keep the software up-to-date.



If you want to centrally maintain updates, WordPerfect Office must be installed using a corporate serial number and specify **ALLOW_PRODUCTUPDATES=0**.



In this guide, **Patch.exe** is a placeholder for the filename of the patch. The actual filename varies with each patch.

Locating patches

Many network administrators keep their software up-to-date by monitoring the Corel Support Services website (<https://www.corel.com/support>). When a patch is made available, these administrators download it and carry out the patching process themselves.



In this guide, `\\server\path\Patch.exe` is a placeholder for the location and filename of the downloaded patch.

Applying patches

After locating and downloading a patch, you can apply it to the media you copied or extracted to the server and then use the updated media to patch the installed software.

Patching You can apply a patch to the media you copied or extracted to the server. Optionally, you can begin by extracting the patch files to a specified location.

To extract the patch files to a specified location

To extract the patch files to a specified location (instead of the default **Temp** folder), use the following command-line syntax:

```
\\server\path\Patch.exe /extract_all "location"
```



Be sure to apply all extracted patch files to the media you copied or extracted to the server. Applying only some of the patch files may cause the installations to function incorrectly.

To apply the patch files

Use a command line that includes the executable file for the patch and the **/a** switch:

```
\\server\path\Patch.exe /a
```

If necessary, you can include the location of the media you copied or extracted to the server:

```
\\server\path\Patch.exe /a  
" \\server\path\Setup.exe"
```

Workstation patching After patching the media you copied or extracted to the server, you can deploy the update to the workstations.

To patch the workstations

Use the following command-line syntax:

```
\\server\path\Setup.exe REINSTALL=ALL
```

By default, the **REINSTALLMODE=oums** property is applied. For best results, you may want to specify **REINSTALLMODE=vdm**:

```
\\server\path\Setup.exe REINSTALL=ALL  
REINSTALLMODE=vdm
```

For details on **REINSTALL** (and **REINSTALLMODE**), see page 18.

To silently patch the workstations

Use the following command line:

```
\\server\path\Patch.exe /s
```



For best results, avoid silently patching the workstations.

Removing the software

You can remove the software from your network. Uninstalling the software cleanly is crucial when the time comes to upgrade to a newer version.

Removal of media from the server

You cannot automate the removal of media you copied or extracted to the server. Instead, you must manually delete it from the server.

For best results with deleting, begin by doing the following:

- Make sure that the programs to be removed — and their associated files — are not currently in use on the workstations.
- If you are using Windows Terminal Server, make sure that all users are logged off.



The only way to re-cover a deleted media is to re-create it by re-running the setup.


Workstation removal

You can remove a single installation of the software by using the Windows Control Panel on that workstation, or you can remove multiple workstation installations by using a command line.

Removing a single installation

You can use the Windows Control Panel to remove a single installation.

To remove an installation with the Windows Control Panel

- 1 Press **Windows** key  + **R**.
- 2 In the Run dialog box, type **appwiz.cpl**, and click **OK** to open the Windows Control Panel.
- 3 In the Windows Control Panel, display the list of currently installed programs, and double-click **WordPerfect Office 2020**.
- 4 Enable the **Remove** option.
If you want to remove user files (such as presets, user-created fills, and customized files), enable the **Remove user files** check box.
- 5 Click **Next**, and follow the on-screen instructions

Removing multiple installations

You can use a command line to remove multiple installations at a time.

If you want to remove user files (such as presets, user-created fills, and customized files), enable the Remove user files check box.

/x Basic removal

You can use the **/x** switch (or the **/uninstall** switch) to silently remove the software:

```
\\server\path\Setup.exe /x
```

REMOVE and **REMOVEUSERFILES**

Advanced removal

If you want more control over the removal process, use the following two public properties.

Property	What it does
REMOVE=ALL	Removes all features
REMOVEUSERFILES=value	Specifies whether to remove user files: <ul style="list-style-type: none">• 0 — no• 1 — yes

In the following example, multiple installations are silently uninstalled and user files removed simultaneously:

```
\\server\path\Setup.exe /qn REMOVE=ALL  
REMOVEUSERFILES=1
```

Troubleshooting the software

For help troubleshooting any issues with the software, please visit the Corel® Knowledge Base™ (<https://www.corel.com/knowledgebase>), an online repository of FAQs and articles.

Appendix: Specialized deployment scenarios

If you require a more specialized deployment scenario, the supplementary topics in this appendix may be of interest to you.

In this appendix	Deploying specific features.	24
	Deploying macros and templates.	25
	Working with MST files	29
	Working with registry keys.	30
	Deploying customized installation settings	32
	Deploying the software with msiexec.exe	33

Deploying specific features

When performing a basic or silent installation with the `/q` switch (see page 9), you may want to use the **ADDLOCAL** property to specify which software features to install. You can specify a single feature:

ADDLOCAL=Feature

Or you can specify a comma-separated list of components:

ADDLOCAL=Feature1,Feature2

You can even specify all features:

ADDLOCAL=ALL

If you want to install nearly all features, naming them individually would be quite tedious. In this scenario, you can use the **REMOVE** public property to specify the features to subtract from **ADDLOCAL=ALL**:

ADDLOCAL=ALL REMOVE=Feature1,Feature2



Feature names are case-sensitive.

Specifying software features by feature name

You can specify individual WordPerfect Office 2020 components by their feature name.



Some editions of the software do not include certain features listed in this section.



Feature names are case-sensitive.

WPO component	Feature name
WordPerfect	WP

WPO component	Feature name
QuattroPro	QP
Presentations	PR
WordPerfect® Lightning™	LT
Support for document display in Web browser	WPBrowse
Borland Database Engine 5.2	UtBDE
QuickFinder	UtQFind
Conversion Utility	UtWPConv
Clipbook	UtClipbk

Deploying macros and templates

Macros and templates make it easy to customize solutions for your organization. You can customize a macro that carries out a set of actions, assign that macro to a shortcut key, and save the macro and its shortcut key to a template, so that users who work from that template have access to the macro and its shortcut key.

If you want, you can make customized macros available to workstation users by storing them in a template. In fact, you can store every macro in the default template file (wp20\$\$\$.wpt, where \$\$ is the default writing-tools language), and then deploy that default template file to each user's machine.



Template macros are not transferred to documents based on that template. Consequently, template macros are available only when their template is available, so it is important to choose a final location for a template before you put it into active use.

WordPerfect Office 2020 supports using a centralized, network-based repository for storing your macros and templates. However, you can deploy macros and templates if preferred.

Deployment methods You can deploy macros and templates as you would any other file:

- by running a specialized command line, such as with a push technology (see page 8)
- by using an MST file (see page 29)

Installing macros and templates

At any point, users can install macros and templates to their workstations.



Template macros set as read-only do not run properly.

Default items By default, WordPerfect Office installs macros and templates at the following location (where **X:** is the drive where WordPerfect Office is installed, and where **\$\$** is the installation language):

X:\Program Files\Coreel\WordPerfect Office 2020\Languages\\$\$\Template\Custom *ProgramName* templates

User-created items User-created macros and templates are stored at the following location (where **X:** is the drive where the operating system is installed, and where **\$\$** is the installation language):

- Windows 10, Windows 8.1, and Windows 7 SP1:

X:\Users\UserName\AppData\Roaming\Coreel\PerfectExpert\20\\$\$\Custom *ProgramName* Templates

If a new WordPerfect template doesn't appear after it is installed to the PerfectExpert or saved to the Custom WP Templates folder, you must refresh the PerfectExpert.

To refresh the PerfectExpert

- 1 In WordPerfect 2020, click **File** ► **New from project**.
- 2 Click the **Create new** tab.
- 3 Click **Options**, and then click **Refresh projects**.

If the new template still does not appear, try changing the category from {WordPerfect} to Custom WP templates.

Migrating macros and templates

Macros and templates can be migrated from an earlier version of WordPerfect.

Macro migration Most macros from a previous version of WordPerfect can be recompiled to work in WordPerfect 2020.

By default, warnings are not displayed for obsolete tokens because they do not interfere with the functioning of most macros. You can choose to display these warnings, however.



If you want to store your organization's macros in a centralized repository, you can set WordPerfect to compile and run all macros locally (that is, from the user's temporary folder). For details, see "To specify how WordPerfect runs and compiles macros" in the WordPerfect Help.

To manually migrate a macro

- 1 Copy the macro to your template folder (if you haven't already done so).
- 2 Start WordPerfect 2020.
- 3 Click **Tools** ▶ **Macro** ▶ **Edit**.
- 4 Navigate to the macro, select it, and then click **Edit**.
- 5 Click the end of the first line.
- 6 Press the **Spacebar**, and then press **Backspace**.
- 7 Click **Save & compile**.

The macro is recompiled for WordPerfect 2020. Be sure to correct any errors incurred — often, such errors result from updated or removed commands. Also, errors are frequently caused by an incorrect path to the template folder. If you incur an error, ensure that the path to the template folder is up-to-date.

To display warnings for obsolete tokens

- 1 Click **Start** ▶ **Programs** ▶ **WordPerfect Office 2020** ▶ **Utilities** ▶ **PerfectScript**.
- 2 In PerfectScript, click **Tools** ▶ **Settings**.
- 3 On the **Compile** page, enable the **Warn when using unsupported features** check box.
- 4 Click **Apply**, and then click **OK**.

Template migration Default templates — and most other templates — from previous versions of WordPerfect can be migrated to WordPerfect 2020.



Using a migrated template can prevent WordPerfect 2020 from displaying its new features. For best results, migrate only the desired template components (toolbars, menus, keystroke assignments, and so on).



When you open a template, WordPerfect checks whether the template is missing default menu commands. You can merge missing menu commands into a template by following the procedure “To merge default menu commands into a template” in the WordPerfect Help.

To manually migrate template components

- 1 Do one of the following:
 - Copy the source templates to your template folder for **WordPerfect Office 2020**, and then start **WordPerfect 2020**.
 - Start **WordPerfect 2020**. Click **Tools** ▶ **Settings**, and then click **Files**. On the **Template** page, use the **Additional template folder** box to specify the location of the source templates.
- 2 Click **Tools** ▶ **Settings**, and then click **Customize**.
- 3 Click the tab for the template component you want to migrate.

- 4 Click **Copy**, and then do the following:
 - From the **Template to copy from** list box, choose the source template.
 - From the **Select toolbars to copy** list, select the component to migrate. Hold down **CTRL** to select multiple components.
 - From the **Template to copy to** list box, choose the target template. (If you want, you can choose the default template.)
 - Click **OK**.

You are prompted to rename a component if another component by that name exists. To distinguish between similar components, you may want to append version numbers to their names.

- 5 To apply the new component, enable its check box.
- 6 To migrate each additional component, repeat steps 3 to 5.

Migrating user settings

In push-installation scenarios, administrators can migrate users' customized settings automatically (see page 13). In pull-installation scenarios, users themselves can choose to migrate their settings.

- QuickWords list**
- Locate the QuickWords™ list file that belongs to the previous version, and use it to replace the QuickWords list file for WordPerfect 2020. The QuickWords list file for WordPerfect 2020 is saved at the following location (where **X:** is the drive where Windows is installed and **\$\$** is the default writing-tools language).
 - `X:\Users\UserName\AppData\Roaming\Corel\PerfectExpert\20\Language\Custom WP Templates\QW20$$\WPT`

- QuickCorrect list**
- Locate the QuickCorrect™ list file that belongs to the previous version, and use it to replace the QuickCorrect list file for WordPerfect 2020. The QuickCorrect list file for WordPerfect 2020 is saved at the following location (where **X:** is the drive where Windows is installed and **\$\$** is the default writing-tools language).
- `X:\Users\UserName\AppData\Roaming\Corel\WordPerfect Office 2020\WritingTools\WT20$$\UWL`

- Address Books**
- First, export the Address Books from the previous version of WordPerfect to an ABX (version 8) or TXT file format. Then, in WordPerfect 2020, create an empty Address Book and import the ABX or TXT file into it.



Address Book records can contain hard returns. For example, this can happen when there are two lines of the street address. If an Address Book does not properly import from a text file, review the contents of the file with a text editor, and remove any extraneous hard returns.

Working with MST files

If you want to apply a Microsoft transformation (MST) file to the setup, simply apply it to your command line.

By default, MST files are applied to the `Setup.msi` file for the setup.

To apply a transformation to the setup

- 1 Store the MST file in the location where you copied or extracted media to the server.
- 2 Use the **TRANSFORMS** property to specify that MST file, as shown here (where *MST* is the filename of the MST file):

```
Setup.exe TRANSFORMS="MST"
```



If the MST file is not in the same folder as `Setup.exe`, *MST* must specify the full path and filename of the MST file.

Applying a transformation to a specific MSI file

To apply an MST file to a specific MSI file, use the following syntax (where *MSI* is the filename of the MSI file, not including its extension; and where *MST* is the filename of the MST file, including its extension):

```
Setup.exe TRANSFORMS_MSI="MST"
```



If the MST file is not in the same folder as the MSI file, *MST* must specify the full path and filename of the MST file.

Example 1 To apply `my_wp.mst` to `WP.msi` (in the same folder), use the following syntax:

```
Setup.exe TRANSFORMS_WP="my_wp.mst"
```

Example 2 To apply `MyTransform.mst` to `ENPExp.msi` (in the same folder), use the following syntax:

```
Setup.exe TRANSFORMS_ENPExp="MyTransform.mst"
```

Troubleshooting MST files

If you have trouble applying an MST file, do the following:

- Check the syntax of your command line — in particular, the path to the MST file.
- Check your permissions.
- Make sure that the MST file was created correctly.
- Check the associated MSI files.

For additional help with MST files, contact Corel Support Services (<https://www.corel.com/support>). Please note, however, that charges will apply.

Working with registry keys

After copying or extracting media to the server, you may want to edit its registry keys for deployment to the workstations. By doing so, you can avoid having to manually configure the registry keys of each individual workstation installation of the software.

Deploying program defaults

When a workstation user first starts a WordPerfect Office 2020 program, settings for that program are pushed from **HKEY_LOCAL_MACHINE** registry keys to **HKEY_CURRENT_USER** keys for that user. If you want to mandate the default program settings for all workstation users, you can deploy the **HKEY_LOCAL_MACHINE** registry keys for those settings.

You can use a local installation of WordPerfect Office 2020 to determine which **HKEY_LOCAL_MACHINE** registry keys are affected by a specific program setting. Open the program, and specify the setting that you want to deploy to the workstations. This setting is saved as a value for a specific registry key at the following location:

HKEY_CURRENT_USER\Software\Corel\ProgramName\20

To deploy this program setting to all workstation users, apply it to the registry file (or MSI table) for the media you copied or extracted to the server as a value for the corresponding **HKEY_LOCAL_MACHINE** registry key at the following location:

- (32-bit operating systems)
HKEY_LOCAL_MACHINE\SOFTWARE\Corel\Setup\WordPerfect Suite\20\Migrate\Software\Corel\ProgramName\20
- (64-bit operating systems)
HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Corel\Setup\WordPerfect Suite\20\Migrate\Software\Corel\ProgramName\20

The method described in this section can be used to deploy almost any registry key for WordPerfect Office 2020. Two common examples follow.

For best results, do not use this method to deploy file paths.



Shadow Cursor setting

The Shadow Cursor setting for WordPerfect is stored at the following location for each workstation user:

HKEY_CURRENT_USER\Software\Corel\WordPerfect\20\Shadow Cursor

To deploy the same Shadow Cursor setting to each user, you must copy the value of the **HKEY_CURRENT_USER** registry key for that setting ("Shadow Cursor State"=*setting*) to the following **HKEY_LOCAL_MACHINE** registry key for the media you copied or extracted to the server:

```
HKEY_LOCAL_MACHINE\SOFTWARE\Corel\Setup\  
WordPerfect Suite\20\Migrate\Software\Corel\  
WordPerfect\20\Shadow Cursor
```

Open File home page

The Web Mode view of the **Open file** dialog box can be customized to use a specified folder as its home page. Users can specify this home page by clicking the **Web mode** icon in the **Open file** dialog box, browsing to the desired folder, and clicking **Internet ► Set home page**. This home-page setting is stored as a value ("HomePageURL"="URL") of the following registry key for each user:

```
HKEY_CURRENT_USER\Software\Corel\PerfectFit\20\  
Virtual Namespaces\Internet
```

Specify the **HomePageURL** value for the following registry key for the for the media you copied or extracted to the server:

```
HKEY_LOCAL_MACHINE\SOFTWARE\Corel\Setup\  
WordPerfect Suite\20\Migrate\Software\Corel\  
PerfectFit\20\Virtual Namespaces\Internet
```

Migrating installed files to the user profile

You can deploy a customized default template, QuickWords list, or QuickCorrect list by creating a registry key at:

- (32-bit operating systems)
HKEY_LOCAL_MACHINE\SOFTWARE\Corel\WordPerfect\20\EN\FileMigration
- (64-bit version operating systems)
HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\
Corel\WordPerfect\20\EN\FileMigration

In the **FileMigration** folder, you must create a key for each pair of source folders and destination folders. When you name them, use a name that describes the file's purpose. The following string values must exist within this registry key:

- **SOURCEPATH** — the files' source path
- **DESTINATIONPATH** — the files' destination path. You can use variables such as **\$APPDATA\$** and **\$PERSONAL\$**

When naming, you must follow the following syntax: **FILE_01**, **FILE_02**, **FILE_03**, and so on. It is important the filenames are sequential with no breaks in the naming sequence.

Suppressing ODMA password and file-type dialog boxes on Save As

You can suppress dialog boxes that prompt the user for a password and a file format for saving a document with the following registry key:

- (32-bit operating systems)
HKEY_LOCAL_MACHINE\Software\Corel\PerfectFit\20\ODMA\DisableSaveAsFormatDialog
- (64-bit version operating systems)
HKEY_LOCAL_MACHINE\Software\Wow6432Node\Corel\PerfectFit\20\ODMA\DisableSaveAsFormatDialog

Deploying customized installation settings

To modify the settings used to install the software on the workstations, you can create an XML file and name it **Persist.xml**.



XML lines must be inside **<ICA> </ICA>** and **<PROPERTIES> </PROPERTIES>** tags. Otherwise, the **Persist.xml** file is ignored by setup.

Each entry you add to **Persist.xml** must correspond to a public property for the software (see page 10). The syntax of each entry should be as follows:

```
<Property name="property" value="value" />
```

By modifying the value of an existing entry in **Persist.xml** — or by adding a new entry — you can customize the installation settings deployed from the media you copied or extracted to the server. This deployment method offers an excellent alternative to customizing a command line.

Example 1 The following **Persist.xml** entry would specify that automatic software updates are enabled:

```
<Property name="ALLOW_PRODUCTUPDATES" value="1" />
```

By changing the value of this entry from **"1"** to **"0"** (and saving this change to **Persist.xml**), you can disable automatic updates for the workstation installations.

Example 2 The following **Persist.xml** entry would specify the serial number for the installation:

```
<Property name="SERIALNUMBER" value="SN" />
```

By changing the **"SN"** value, you can specify a different serial number for the workstation installations.

Example 3 The following `Persist.xml` entry would specify that WordPerfect Office is installed with updates disabled:

```
<ICA>
<Properties>
<Property name="ICA.PropertyPresistFile.Created"
value="06/15/20 11:13:59"/>
<Property name="SERIALNUMBER"
value="WP20C22-XXXXXXX-YYYYYYY-ZZZZZZ"/>
<Property name="ALLOW_PRODUCTUPDATES" value="0"/>
</Properties>
</ICA>
```

Deploying the software with `msiexec.exe`

Alternatively to using `Setup.exe`, you can deploy the software by using `msiexec.exe` — a Microsoft Windows Installer file provided by the Windows operating system. In fact, you must use `msiexec.exe` if you want to interact directly with the MSI files, such as in the following scenarios:

- if you want to use the `Setup.msi` file, rather than a start-up script, to install the software by using a Group Policy Object
- if you want to use the `Setup.msi` file to create packages for use with Novell ZENworks Desktop Management

Command-line syntax As with `Setup.exe`, you use `msiexec.exe` to create command lines that perform a setup-related function. A `msiexec.exe` command line requires the following items:

- a switch that signals the desired action: installing (`/i`), repairing (`/f`), or removing (`/x`) the software
- the location and name of the desired MSI file: typically, `Setup.msi` (located on the installation disc or the media you copied or extracted to the server).
- any desired public properties
- any desired switches, as specified by the `CHAINER_CMD="switches"` public property (multiple switches are separated by a space)

For example, the following `msiexec.exe` command line uses the file `\\server\WPO\Setup.msi` to install the software while displaying the full user interface:

```
msiexec.exe /i "\\server\WPO\Setup.msi"
SERIALNUMBER=WP20C22-XXXXXXX-YYYYYYY-ZZZZZZ
ADDLOCAL="ALL" CHAINER_CMD="/qf"
```

MST files As previously explained (see page 29), you can use the **TRANSFORMS** public property to apply an MST file to the setup. By default, all MST files are applied to the **Setup.msi** file. If you want to apply an MST file to a different MSI file, you must use the following syntax (where **MSI** is the filename of the MSI file, not including its extension; and where **MST** is the filename of the MST file, including its extension):

```
TRANSFORMS_MSI="MST"
```



If the MST file is not in the same folder as the MSI file, **MST** must specify the full path and filename of the MST file.

For example, the following **msiexec.exe** command line uses the file **\\server\WPO\Setup.msi** to install the software silently, applies the transformation **my_wp.mst** to **WP.msi** (in the same folder), and applies the transformation **my_qp.mst** to **QP.msi** (in the same folder):

```
msiexec.exe /i "\\server\WPO\Setup.msi"  
SERIALNUMBER=WP20C22-XXXXXXX-YYYYYYY-ZZZZZZZ  
ADDLOCAL="ALL" CHAINER_CMD="/qf"  
TRANSFORMS_WP="my_wp.mst"  
TRANSFORMS_QP="my_qp.mst"
```

Deploying Paradox

You can make Paradox available on the workstations only if it is included in your version of WordPerfect Office. However, please note that the process for deploying Paradox is separate from the process for deploying WordPerfect Office.

You can deploy Paradox regardless of whether you're deploying WordPerfect Office. However, if you want to deploy both, you must deploy WordPerfect Office first and Paradox second.

For an overview of the deployment process for WordPerfect Office, please see "Stage 1: Preparing for deployment" on page 2.

Creating the server image for Paradox

The process for creating a Paradox server image is different from the process for WordPerfect Office. Paradox does support the use of the `/a` switch to create a server image, but you must ensure that you're using the Paradox installation files rather than the ones for WordPerfect Office. The default installation files are provided with the Paradox setup. You can use either of the following command lines:

```
msiexec.exe /a "X:\PDX\language code\Setup\Paradox.msi"
```

or

```
X:\PDX\language code\Setup.exe /a
```

For English, use `1033` as the *language code*. For French, use `1036`.

Deploying Paradox to the workstations

The process for deploying Paradox to the workstations is similar to the process for deploying WordPerfect Office — just be sure to use the Paradox installation files rather than the ones for WordPerfect Office. Default installation files are provided with the Paradox setup.

If you want to specify individual features in your command line, see "Paradox command-line features" on page 36.

For information on pulling software to the workstations, see "Pulling the software" on page 7.

For information on pushing software to the workstations, see "Pushing the software" on page 8.

Optimizing the installed software

To optimize the installed software, you must refresh the New from project template list in PerfectExpert.

In addition, in order for Paradox to function properly, you must ensure that the network-folder settings for Borland Database Engine points to a folder for which all users have write and delete permissions.

To refresh the PerfectExpert template list

- 1 Click **File** ► **New from project**.
- 2 In the **PerfectExpert** dialog box, click **Options** ► **Refresh project**.

To change the network-folder settings

- 1 After installation, log on to the server console as an administrator.
- 2 From the Windows Control Panel, open the **BDE Administrator**.
- 3 Click the **Configuration** tab.
- 4 Expand the **Configuration** tree, and navigate to **Drivers\Native\PARADOX**.
- 5 In the right pane, click the field to the right of the **NET DIR** entry.
- 6 Click **...**, and browse to the location that you have chosen as the network folder.
- 7 All users must have write and delete permissions on this folder.
- 8 Click **Object** ► **Apply**.
- 9 Click **OK** to confirm the save, and then click **OK** again when you are prompted to restart all Borland Database Engine applications.

Maintaining the software

The process for maintaining the installed Paradox software is similar to the process for maintaining the installed WordPerfect Office software — just be sure to use the Paradox installation files rather than the ones for WordPerfect Office. Default installation files are provided with the Paradox setup.

For information on maintaining software, see “Updating the software” on page 19.

Paradox command-line features

This section outlines the command-line features available for Paradox.

Features are available for the following Paradox components:

- Paradox
- Borland Database Engine
- filters
- templates and sample tables



Paradox

- writing tools
- For a list of available public properties, see page 10.
- Remember that feature names are case-sensitive.

The **Paradox** feature installs the main program file for Paradox and all related files that are essential for running Paradox.

Borland Database Engine

The **BorlandDatabaseEngine** feature installs the files that are required to run Borland Database Engine version 5.2.

Feature filters

The **Filters** feature lets you install the following parent features:

- **GraphicsConversions** — installs the graphics-conversion filters
- **Spreadsheets** — installs the spreadsheet filters
- **TextConversions** — installs the text-conversion filters
- **WordProcessors** — installs the word-processor filters

Graphics-conversion filters

The **GraphicsConversions** parent feature contains two sets of graphics-conversion filters: **BitmapGraphicConversions** and **VectorGraphicConversions**.

The **BitmapGraphicConversions** feature contains the following bitmap-conversion filters.

Bitmap-conversion filter	Feature name
BMP conversion	BMP
CAL conversion	CAL
CPT conversion	CPT
GIF conversion	GIF
ICO/COR conversion	ICOCOR
IMG conversion	IMG
JPEG conversion	JPEG
MAC conversion	MAC
PCD conversion	PCD
PCT conversion	PCT
PCX conversion	PCX
PNG conversion	PNG
PP4 conversion	PP4

Bitmap-conversion filter	Feature name
PSD conversion	PSD
SCT conversion	SCT
TGA conversion	TGA
TIFF conversion	TIFF
WI conversion	WI

The **VectorGraphicConversions** feature contains the following vector-conversion filters.

Vector-conversion filter	Feature name
CDR/CMX/CCX conversion	CDRCCX
CDT conversion	CDT
CGM conversion	CGM
DRW conversion	DRW
DXF conversion	DXF
EMF conversion	EMF
EPS conversion	EPS
HPGLPLT conversion	HPGLPLT
PIC conversion	PIC
SVG/XML conversion	SVGXML
WMF conversion	WMF
WPG conversion	WPG

Spreadsheet filters

The **Spreadsheets** feature contains the following feature: **MicrosoftExcel**, which installs the Microsoft® Excel® spreadsheet filter.

Text-conversion filters

The **TextConversions** feature contains the following text-conversion filters.

Text-conversion filter	Feature name
ASCII export	ASCIIExport

Text-conversion filter	Feature name
Unicode® export	UnicodeExport

Word-processor filters

The **WordProcessors** feature contains the following word-processor filters.

Word-processor filter	Feature name
Microsoft Word 97/2000/2002 import	Word9720002002
Microsoft® Word 95 import	Word95Import
RTF import	RTF
WordPerfect 6.X Text import	WordPerfect6.XText
WordPerfect 6/7/8/9/10 import	WordPerfect6.X

Templates and samples

The **TemplatesandSamples** feature contains the following templates and samples.

Item	Feature name
database template for storing information about valuable coins	CoinCollectionTemplate
database template for tracking office equipment	OfficeEquipmentTemplate
sample application demonstrating Web Server Control	HerculesWebSample
sample database demonstrating graphics in Paradox and ObjectPAL	OceanLifeSamples
sample tables for Paradox (original versions)	ParadoxClassicSample
tutorial for ObjectPAL	ObjectPalTutorialFiles

Writing tools

The **WritingTools11** feature contains the following feature: **English**, which installs the spelling checker for English.

Index

- A
- Address Book migration 28
- C
- command lines
 - public properties 10
 - running 16
 - switches 9
- content 4
- D
- deployment
 - preparing for 2
 - specialized scenarios 24
- desktop shortcuts 11
- DOC files
 - associating with WordPerfect 11
- document-management systems
 - setup 4
- E
- EULA suppression 11
- F
- features, deploying 24
- I
- IFilter
 - managing installation 12
- installation path 12
- installation settings* 33
- installing software 7
- M
- macros
 - deploying 25
 - installing 26
 - migrating 26
- migrating
 - macros and templates 26
 - user settings, automatically 12
 - user settings, manually 28
- modifying software 19
- msiexec.exe, deploying with 33
- MST files 29
- N
- networks
 - requirements 2
 - setting up 4
- P
- Paradox
 - creating server image 35
 - list of available features 36
- Paradox deployment 25
- patching software 19
- PPT files
 - associating with Presentations 11
- program defaults, deploying 30
- programs, deploying 12
- public properties 10
- pull installations 7
- push installations 8
- Q
- QuickCorrect migration 28
- QuickWords migration 28
- R
- Readme file 3
- reboots, handling* 13
- registry keys 30
- removing software 21
- repairing software 17
- S
- SCCM support 16
- serial number, inputting 13
- servers
 - setup 4
 - software requirements 2
- setup
 - logging events 9
 - suppressing UI 10
- SharePoint setup 4
- shortcuts, desktop 11
- silent installations 10
- SMS support 16
- software requirements 2
- switches 9
- T
- table rows, splitting 13
- templates
 - deploying 25
 - installing 26
 - migrating 27
- troubleshooting software 23
- U
- uninstalling software 21
- updating software 19
- upgrading software 13
- V
- videos 4
- W
- workstations
 - setup 4
 - software requirements 3
- WPD files, locking IE display 15
- X
- XLS files
 - associating with Quattro Pro 11

Corel® WordPerfect® Office 2020 Deployment Guide

Copyright © 2020 Corel Corporation. All rights reserved.

Product specifications, pricing, packaging, technical support and information (“specifications”) refer to the retail English version only. The specifications for all other versions (including other language versions) may vary.

INFORMATION IS PROVIDED BY COREL ON AN “AS IS” BASIS, WITHOUT ANY OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, SATISFACTORY QUALITY, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR THOSE ARISING BY LAW, STATUTE, USAGE OF TRADE, COURSE OF DEALING OR OTHERWISE. THE ENTIRE RISK AS TO THE RESULTS OF THE INFORMATION PROVIDED OR ITS USE IS ASSUMED BY YOU. COREL SHALL HAVE NO LIABILITY TO YOU OR ANY OTHER PERSON OR ENTITY FOR ANY INDIRECT, INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES WHATSOEVER, INCLUDING, BUT NOT LIMITED TO, LOSS OF REVENUE OR PROFIT, LOST OR DAMAGED DATA OR OTHER COMMERCIAL OR ECONOMIC LOSS, EVEN IF COREL HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, OR THEY ARE FORESEEABLE. COREL IS ALSO NOT LIABLE FOR ANY CLAIMS MADE BY ANY THIRD PARTY. COREL'S MAXIMUM AGGREGATE LIABILITY TO YOU SHALL NOT EXCEED THE COSTS PAID BY YOU TO PURCHASE THE MATERIALS. SOME STATES/COUNTRIES DO NOT ALLOW EXCLUSIONS OR LIMITATIONS OF LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES, SO THE ABOVE LIMITATIONS MAY NOT APPLY TO YOU.

Corel, the Corel logo, the Corel balloon logo, WordPerfect, Lightning, Paradox, Presentations, and Quattro are trademarks or registered trademarks of Corel Corporation in Canada, the United States and/or other countries. This product and packaging includes intellectual property (including trademarks) owned, registered, and/or licensed by third parties not affiliated with Corel and used with permission. The inclusion thereof does not constitute or imply any endorsement of, or by, such third parties, or any warranty by Corel of the quality, merchantability, or fitness of any third-party products or services. Use of this product is subject to acceptance of the license agreements included in this software.

Patents: www.corel.com/patent

This product may incorporate intellectual property owned by Microsoft Corporation. The terms and conditions upon which Microsoft is licensing such intellectual property may be found at <http://go.microsoft.com/fwlink/?LinkId=52440>.

205010